

Office (225) 665-8893
 Fax (225) 664-0140
 www.walker.la.us



10136 Florida Blvd.
 P.O. Box 217
 Walker, LA 70785

APPLICABLE CONSTRUCTION CODES AND EDITIONS

Department of Public Safety and Corrections, State Uniform Construction Code (LAC 55:VI.301)

Title 55 Public Safety, Part VI. Uniform Construction Code; Chapter 3. Adoption of the Louisiana State Uniform Construction Code

| CODE | EDITION | NOTES |
|---|---------|--|
| International Residential Code | 2009 | Not including Parts I-Administrative, V-Mechanical, VII-Plumbing, and VIII-Electrical, as well as further amendments |
| International Building Code | 2009 | Not including Chapter 1, Administration; Chapter 11, Accessibility; Chapter 27, Electrical and Chapter 29, Plumbing Systems; as well as further amendments |
| International Existing Building Code | 2009 | Not including Chapter 1, Administration |
| International Mechanical Code | 2009 | As amended (LAC 55:VI.301) |
| NFPA 70: National Electrical Code (NEC) | 2008 | ~ |
| Louisiana State Plumbing Code | 2000 | As amended (LAC 55:VI.301) |
| International Fuel Gas Code | 2009 | As amended (LAC 55:VI.301) |

From the 2009 International Residential Code:

TABLE R301.2(1)

CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA

| GROUND SNOW LOAD | WIND DESIGN | | SEISMIC DESIGN CATEGORY | SUBJECT TO DAMAGE FROM | | | WINTER DESIGN TEMP | ICE BARRIER UNDERLAYMENT REQUIRED | FLOOD HAZARDS | AIR FREEZING INDEX | MEAN ANNUAL TEMP |
|------------------|-------------|---------------------|-------------------------|------------------------|------------------|-------------------|--------------------|-----------------------------------|--------------------|--------------------|------------------|
| | Speed (mph) | Topographic effects | | Weathering | Frost line depth | Termite | | | | | |
| ZERO | 108 | NO | A | Negligible | 0" | VERY HEAVY | 29° f | NO | (see below) | 27 | 66.9° f |

FLOOD HAZARDS:

Current effective Flood Insurance Rate Map (FIRM) Date: April 3, 2012

Community Number of City of Walker: 220121

Build Top of Bottom Floor: 1 (one) foot above the Base Flood Evaluation (BFE)